



ASTM D3034 SEWER SOLVENT WELD SDR 35

MANUFACTURER'S CERTIFICATION

This is to certify the pipe manufactured by Sanderson Pipe Corporation meets or exceeds the applicable engineering standards listed under ASTM D3034.

1. **Materials:** Comply with ASTM D1784 standard, cell classification 12454 or 12364.
2. **Dimensions / Testing:** All pipe meets or exceeds all performance specifications set forth in the current version of the ASTM D3034 standard.
3. **Markings on the Pipe:** Identification of nominal pipe size, cell classification, SDR class, ASTM designation D3034, material code, manufacturer's name and code.

Manufactured in the USA

Revised Date: October 03, 2014

ASTM D3034 SDR 35 (GREEN OR WHITE) SEWER SOLVENT WELD SPECIFICATIONS

Pipe Size	Outside Diameter (OD)	SDR 35 Minimum Wall	**Bell Length (inches)	*Bell Diameter (inches)	Approx. Weight per foot (lbs.)
4"	4.215	0.120	4"	4.491	1.090
6"	6.275	0.180	5"	6.680	2.464

Notes:

* Approximate Bell Diameter

** May vary up to $\pm 1/2$ "

Pipe made in 10-foot or 20-foot lengths.